


Combi shell mill holder DIN 6358

Porte-fraises à double usage pour fraises à entraînement par clavette ou tenon DIN 6358

Kombine malafa DIN 6358


FORM AD/B

Bestell-Nr. Order Nr. Référence Sipariş Nr.	SK	d	A	L1	D	Euro
506.10.16	BT 50	16	70	17	32	
506.10.16.1	BT 50	16	100	17	32	
506.10.16.2	BT 50	16	160	17	32	
506.10.22	BT 50	22	70	19	40	
506.10.22.1	BT 50	22	100	19	40	
506.10.22.2	BT 50	22	160	19	40	
506.10.27	BT 50	27	70	21	48	
506.10.27.1	BT 50	27	100	21	48	
506.10.27.2	BT 50	27	160	21	48	
506.10.32	BT 50	32	70	24	58	
506.10.32.1	BT 50	32	100	24	58	
506.10.32.2	BT 50	32	160	24	58	
506.10.40	BT 50	40	70	27	70	
506.10.40.1	BT 50	40	100	27	70	
506.10.40.2	BT 50	40	160	27	70	



Lieferumfang : Inklusive Paßfeder, Mitnehmerring und Fräseranzugsschraube
 Included : Milling cutter retention, screw, drive key
 with threaded hole for push-out screw, combination drive ring
 Inclus : Clavette, bague d'entraînement et vis de serrage
 Teslim Şekli : Alın civatası, kaması ve tırnaklı pulu ile birlikte

Zubehör / Accessories / Accessoires / Yedekler



6.30

Spannschlüssel DIN 6368 für Aufsteckdorne
 Wrench DIN 6368
 Clé de serrage DIN 6368
 Alın civatası sıkma anahtarı




Combi shell mill holder DIN 6358

Porte-fraises à double usage pour fraises à entraînement par clavette ou tenon DIN 6358

Kombine malafa DIN 6358

FORM AD

Bestell-Nr. Order Nr. Référence Sipariş Nr.	SK	d	A	L ₁	D	Euro
305.10.16	BT 30	16	45	17	32	
305.10.22	BT 30	22	47	19	40	
305.10.27	BT 30	27	49	21	48	
405.10.16	BT 40	16	55	17	32	
405.10.16.1	BT 40	16	100	17	32	
405.10.22	BT 40	22	55	19	40	
405.10.22.1	BT 40	22	100	19	40	
405.10.27	BT 40	27	55	21	48	
405.10.27.1	BT 40	27	100	21	48	
405.10.32	BT 40	32	60	24	58	
405.10.32.1	BT 40	32	100	24	58	
405.10.40	BT 40	40	60	27	70	
405.10.40.1	BT 40	40	100	27	70	
505.10.16	BT 50	16	70	17	32	
505.10.22	BT 50	22	70	19	40	
505.10.27	BT 50	27	70	21	48	
505.10.32	BT 50	32	70	24	58	
505.10.40	BT 50	40	70	27	70	



Lieferumfang : Inklusive Paßfeder, Mitnehmerring und Fräseranzugsschraube

Included : Milling cutter retention, screw, drive key
with threaded hole for push-out screw, combination drive ring

Inclus : Clavette, bague d'entraînement et vis de serrage

Teslim Şekli : Alın civatası, kaması ve trnaklı pulu ile birlikte

Zubehör / Accessories / Accessoires / Yedekler





6.30


Spanschlüssel DIN 6368 für Aufsteckdorne
Wrench DIN 6368
Clé de serrage DIN 6368
Alın civatası sıkma anahtarı

**Combi shell mill holder DIN 6358****Porte-fraises à double usage pour fraises à entraînement par clavette ou tenon DIN 6358****Kombine malafa DIN 6358****FORM AD/B**

Bestell-Nr. Order Nr. Référence Sipariş Nr.	SK	d	A	L1	D	Euro
406.10.16	BT 40	16	55	17	32	
406.10.16.1	BT 40	16	100	17	32	
406.10.16.2	BT 40	16	160	17	32	
406.10.22	BT 40	22	55	19	40	
406.10.22.1	BT 40	22	100	19	40	
406.10.22.2	BT 40	22	160	19	40	
406.10.27	BT 40	27	55	21	48	
406.10.27.1	BT 40	27	100	21	48	
406.10.27.2	BT 40	27	160	21	48	
406.10.32	BT 40	32	60	24	58	
406.10.32.1	BT 40	32	100	24	58	
406.10.32.2	BT 40	32	160	24	58	
406.10.40	BT 40	40	60	27	70	
406.10.40.1	BT 40	40	100	27	70	
406.10.40.2	BT 40	40	160	27	70	



Lieferumfang : Inklusive Paßfeder, Mitnehmerring und Fräseranzugsschraube
Included : Milling cutter retention, screw, drive key
with threaded hole for push-out screw, combination drive ring
Inclus : Clavette, bague d'entraînement et vis de serrage
Teslim Şekli : Alın civatası, kaması ve tırnaklı pulu ile birlikte

Zubehör / Accessories / Accessoires / Yedekler

Spannschlüssel DIN 6368 für Aufsteckdorne
Wrench DIN 6368
Clé de serrage DIN 6368
Alın civatası sıkma anahtarı